

kca labs

KCA Laboratories
232 North Plaza Drive

Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1

50mg D8

Sample ID: SA-250805-66566

Batch: 02-0938

Type: Finished Product - Ingestible

Matrix: Edible - Gummy Unit Mass (g): 5.58723 Collected: 06/11/2025 Received: 06/12/2025 Completed: 06/18/2025



Summary

TestCannabinoids

Date Tested 06/18/2025

Status Tested

0.0212 % Total Δ9-THC **0.811 %** Δ8-THC 0.896 %

Total Cannabinoids

Not Tested

Moisture Content

Not Tested

Foreign Matter

Yes

Internal Standard Normalization

Cannabinoids by HPLC-PDA and GC-MS/MS

	LOD	LOQ	Result	Result
Analyte	(%)	(%)	(%)	(mg/unit)
CBC	0.00095	0.00284	ND	ND
CBCA	0.00181	0.00543	ND	ND
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.00242	0.00360	0.201
CBDA	0.00043	0.0013	ND	ND
CBDV	0.00061	0.00182	ND	ND
CBDVA	0.00021	0.00063	ND	ND
CBG	0.00057	0.00172	ND	ND
CBGA	0.00049	0.00147	ND	ND
CBL	0.00112	0.00335	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBLA	0.00124	0.00371	ND	ND
CBN	0.00056	0.00169	0.00510	0.285
CBNA	0.0006	0.00181	ND	ND
CBT	0.0018	0.0054	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Δ4,8-iso-THC	0.0067	0.02	0.0550	3.07
Δ8-iso-THC	0.0067	0.02	ND	ND
Δ8-ΤΗС	0.00104	0.00312	0.811	45.3
Δ8-ΤΗCV	0.0067	0.02	ND	ND
Δ9-ΤΗС	0.00076	0.00227	0.0212	1.18
Δ9-ΤΗCΑ	0.00084	0.00251	ND	ND
Δ9-ΤΗCV	0.00069	0.00206	ND	ND
Δ9-ΤΗCVA	0.00062	0.00186	ND	ND
exo-THC	0.0067	0.02	ND	ND
Total Δ9-THC			0.0212	1.18
Total			0.896	50.1

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; \(\Delta = Delta; \) Total \(\Delta \) 9-THC = \(\Delta \)-THC + \(\Delta \)-THC; Total \(\Delta \) D= CBDA * 0.877 + \(\Delta \)-THC (BD; \(\Delta \))

Generated By: Ryan Bellone Commercial Director Date: 08/05/2025 Tested By: Nicholas Howard Scientist Date: 06/18/2025





ISO/IEC 17025:2017 Accredited
Accreditation #108651



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories are provide measurement uncertainty upon request.